



Just for pigs



GENERAL
CATALOGUE
V.02.24

MAGAPOR



Just for pigs

More than 35 years providing practical and innovative solutions for swine artificial insemination

Our entrepreneurial and innovative spirit drives the R&D department. We have a multidisciplinary team of biochemists, veterinarians, engineers and computer scientists working to improve our products and designing and developing new solutions for our sector.

Our hallmark is founded on three key attributes and aspects of the company's philosophy:

- Specialists in swine reproduction
- Unique products
- Technical service with a clear aim of improving customer productivity



Magapor corporate catalogue. We reserve the right to amend this catalogue. All rights reserved.
© Magapor, S.L. The products, services and information in this document may be subject to change and/or variation with regard to the texts and images shown.

Magapor

Specialists in swine reproduction

Magapor's exclusive dedication to swine farming allows us to be specialists in our work.

R&D

Unique and exclusive products and services

R&D is one of the fundamental pillars of Magapor, which has allowed us to introduce practical solutions to the market.

Dedication

Technical Service for our customers

Constant customer support and our commitment to transfer knowledge to the sector are a part of who we are.

Technology

Smart equipment with traceability

Our engineers and programmers develop all the equipment under the premises of simplicity and traceability in their use.

Trust

Our strict quality controls

We analyse the quality of our products in the manufacture of extenders, RTC (reproductive toxic controls) controls in plastic blisters or biological contact controls.

Security


We work using biosecurity protocols

All our production processes are performed under biosecurity protocols, such as repairs, which are carried out in facilities other than the main plant.

GESIPOR 360

The best software for the comprehensive management of the production of semen doses

“TOTAL TRACEABILITY IN
THE PRODUCTION OF
SEMEN DOSES



BOARS



ANALYSIS



DILUTION



PACKAGING



TRACING



PLANNING



GENETICS



OPERATORS

+ ANALYTICS MODULE



PERSONALISED REPORTS
CENTRE REPORTS
PRODUCTIVITY
EXTRACTION MONITORING



+ TRACKING MODULE




HEALTH PLAN
TRACEABILITY
VISITS
WAREHOUSE



+ ORDERS MODULE



ORDERS
DELIVERY NOTES
STOCKS
TRANSPORTATION DATA



› Perfectly adaptable to user needs, it offers **full control over all Boar Stud production parameters.**

- Forecasts and schedules extractions.
- Standardises and records production processes (analysis, dilution and packaging).
- Manage orders and delivery notes.
- Allows full traceability of dose production.
- Monitors and controls the Boar Stud health plan.
- Provides all data through customised reports.

Characteristics:

- Multi-user and multi-centre.
- Connectivity with equipment (see Magapor Integrated System functionalities).
- Online and offline mode.

Advantages:

- Avoids human error.
- User-friendly.
- On-going development by our IT and R&D departments.

**PRACTICAL
INNOVATION**

“EASY TO USE,
HELPS YOU
FULLY MANAGE
PRODUCTION
AND CHECK DATA
AT ANY TIME
WHEREVER YOU
ARE

MAGAPOR INTEGRATED SYSTEM

Total automation: Planning + Collection + Analysis + Dilution + Packaging



Gesipor enables integration and automation of all processes involved in the production of semen doses, with accurate traceability from collection to the farm, using the Magapor Integrated System work concept.

The information flow is preserved and managed through the Gesipor software, for total control and analysis of the results.



ZEBRA PRINTER

Thermal printer to link with Gesipor.



GESIPOR SCALE

Automatic ejaculate volume.



PRE-CUT LABELS

1000 units
10 x box



BARCODE READER

Automatic data entry in Gesipor.

ERGOS

Collection dummy

COMFORT, RESISTANCE
AND HYGIENE DURING
COLLECTION



CE

50 Kg
95 x 65 x 45 cm


53 Kg
100 x 34 x 60 cm

- **Versatile:** for both manual collection and automatic collection with Autocollect.
- **Ergonomic:** comfortable and safe for the boar, anchored to the ground for more secure support.
- **Resistant, quick and easy to clean:** built from stainless steel.
- **Suitable for any boar:** adjustable height with optional extenders.



ERGOS GUARD

Stainless steel guard to protect the Autocollect from possible impacts.



ERGOS EXTENSION

Extender for larger boars.
Built from stainless steel.

ERGOS RCA

Collection dummy with hydraulic lifting system

 Reduces time and injuries



CE

 50 Kg
95 x 65 x 45 cm

 53 Kg
100 x 34 x 60 cm

- **Time optimization:** It facilitates the adaptation of the boar to the dummy and reduces mounting times.
- **Fewer injuries:** reduces boars with

- problems.
- **Increased productivity:** Improved ejaculate quality and volume due to the position of the boar.
- **Improved training and learning:**

The boar can learn directly on the production dummy.

- **With the same benefits of the Ergos dummy**



AUTOCOLLECT

System for the automated collection of ejaculate



 **INCREASES DOSE
PRODUCTION PER BOAR
BY UP TO 40%**

It consists of a mobile guide, which can be installed inside the Ergos dummy, and mobile elements to attach the Autocollect Cervix and thermos

- It has a fixed or free movement position for the animal.
- The boar gets off after ejaculating.
- Its position protects the collection thermos from any blows by the boar.



> Advantages of the Ergos dummy + Autocollect

- Increases dose production per boar by up to 40%.
- Allows the operator to collect from two boars at the same time.
- Reduces the variability of results between operators, standardising the collection process.
- Suitable for all breeds and facilities.
- Facilitates and optimises the operator's work.
- Hygienic: reduces the risk of bacterial contamination of the ejaculate.



AUTOCOLLECT CERVIX

Comfort and hygiene

- Disposable, which protects and prevents any injury to the boar's penis, allowing a perfect fit and improving stimulation.
- Prevents possible contamination by improving hygiene during collection.




› **ERGOS MOBILITY**
Mobile dummy

- Easy portability.
- Comfortable for the boar.
- Strong, built from stainless steel.
- Hygienic, easy to clean.



19 Kg
80 x 40 x 55 cm

21 Kg
95 x 50 x 60 cm



NON-SLIP MAT

15 Kg
100 x 150 x 2 cm



COLLECTION THERMOS



FILTERBAG

50 units/pack



GLASSES AND FILTERS



GSP READER

Instantly identifies the operator and the boar.



GSP PRINTER

Bluetooth thermal printer.
LABELS



18 x box



GSP KEYRING

For operator identification.





GSP EARTAGS

For boar identification.



10 units



MAGAVISION

CASA system for fast and accurate evaluation of semen quality with machine learning Software.



 FAST
SIMPLE AND
PRECISE

MAGAVISION
tech

MAGAVISION
prem

MAGAVISION
elite



MAGAPOR
INTEGRATED
SYSTEM
21 Kg
61 x 43 x 55 cm

- › CASA system for semen quality evaluation with machine learning engine, specifically for boar semen. Available in 3 different versions (**tech**, **prem** and **elite**) to suit all needs.

It allows an objective and standardized analysis of the main semen quality parameters:

- Total and progressive motility

- Concentration
- Abnormal forms (total or disaggregated depending on the version)
- Kinetic parameters (depending on the version)

Discriminate agglutination

Complete ejaculate analysis:

- Objective and accurate.
- Quick analysis.

- Provides the number of doses.
- Real 5 Mpx camera.
- Analyses 1 sec. video at 60 frames.
- Automatically saves photos and videos.
- Different user types
- All data can be archived in the Gesipor database.

SMART STAGE


High-speed, motorized, heated and auto-focusing stage for Magavision.

- Allows multi-tracking and multi-analysis of up to 20 doses and ejaculates.
- Analyses 20 samples in less than 5 minutes.
- Optimizes auto-focusing times.



MAGAVISION ONE

CASA system for semen quality analysis



MAGAVISION
one



18 Kg
61 x 43 x 55 cm

➤ A simpler CASA system for fast and accurate analysis of the main semen quality parameters:

- **Total and progressive motility**
 - **Concentration**
- Discriminate agglutination

Full and simple analysis of ejaculate:

- Objective and exact.
- Quick analysis.
- Provides the number of doses.
- Analyses 0.5 sec. video at 30 frames.

- Real 1 Mpx camera.
- Allows data export in Excel format

Magavision One is the ideal CASA system to get started in standardized analysis.



COUNTING CHAMBER
5 analyses per chamber.




MICROPIPETTE
0,5µL to 10µL

MAGASLIDE

Hot plate



- Equipped with a PID regulator that provides very precise temperature control and more gradual heating, while reducing oscillations.
- Regulator precision 0.1°C.
- Built from stainless steel.
- Equal distribution of temperature over the plate's entire surface.

 5,3 Kg
 50 x 40 x 15 cm
  4,5 Kg
 31 x 26 x 6,5 cm
 

MAGACELL

Colorimeter



Calculation of the number of semen doses.

- Instant absorbance readings or direct dose data.
- LCD high contrast digital reader.
- Speed and precision when calculating the number of doses.

 3 Kg
 21 x 19,5 x 7,5 cm

CUVETTES

Standard square section cuvette. Colourless and transparent under ultraviolet light.

 100 units/box



MICROSCOPES

Ergonomic, highly robust and stable, with coaxial controls on both sides for macro and micrometric focusing.



M03 High-quality trinocular microscope.

With CCIS optics and equipped with brightfield, dark-field, polariser and negative phase contrast. Ideal for research and dose production. Adaptable for CASA systems and heated stage option.

Objectives: 4x - 10x - 40x - 100x and 10x negative

40 x 20 x 40 cm / 8,6 kg

40 x 58 x 26 cm / 10 kg



MASTER 7 Advanced trinocular microscope.

With UCIS optics and equipped with brightfield, dark-field, polariser and negative phase contrast.

Adaptable for CASA systems and heated stage option.

Objectives: 4x - 10x - 40x - 100x and 10x negative

30 x 25x 40 cm / 6 kg

50 x 50 x 30 cm / 8 kg



MASTER 5 Trinocular microscope.

For seminal analysis and dose production. Heated stage option.

Objectives: 4x - 10x - 40x - 100x.

30 x 25x 40 cm / 6 kg

50 x 50 x 30 cm / 8 kg



MASTER 3 Binocular microscope.

For routine use for motility control and seminal contrast.

Objectives: 4x - 10x - 40x - 100x

38 x 21 x 23 cm / 5 kg

43 x 31 x 25 cm / 6 kg

NUCLEOCOUNTER

Cell count



3 Kg
38 x 26 x 22 cm

It determines the total concentration and percentage of sperm viability through fluorescence.

- Analyses sperm concentration in 30 seconds.
- Direct analysis method.
- Highly repeatable analyses.
- No calibration is required.
- Low volume load is required.
- No maintenance is required.

Necessary consumables:

- Cassette (100 pcs)
- Reagent (5L)



IMMERSION OIL

30 ml



EOSIN-NIGROSIN


25 ml



BÜRKER CHAMBER



PIPETTES



SLIDES AND COVERS



MICROPIPETTES AND TIPS

HIGH PERFORMANCE EXTENDERS

Spermax, Duragen and Vitasein




- The high performance of Spermax, Duragen or Vitasein, offers maximum protection, **maximises the fertilising capacity** of the semen doses and decisively contributes to the production results of pig farms.

THE BEST
PROLIFICITY AND
FERTILITY RESULTS

Demanding and differentiating quality controls

Magapor implements the most rigorous quality controls for its high performance extenders.




MAXIMUM
 PERFORMANCE TO OBTAIN
 THE BEST RESULTS



SPERMAX

Spermax is the latest extender developed by Magapor.

Its innovative formula contains anti-oxidants, membrane protectors and latest generation energy precursors.

- Maintains mitochondrial activity under optimal conditions for interaction of the sperm with the female's reproductive tract.
- Protects sperm during storage and transport, guaranteeing maximum vitality at fertilisation.
- Provides maximum energy for sperm and long-term protection for semen doses.
- Improved antibacterial action.

Spermax is synonymous with peace of mind during storage and transport over short and long distances, guaranteeing the best result.



DURAGEN

Duragen offers significant dose protection for the best results.

Its formula is a balanced combination of anti-oxidants and membrane protectors that:

- Offers additional protection against lipo-peroxidation of the sperm membranes.
- Avoids premature sperm capacitation in the most demanding situations.
- Has a broader antibacterial action, ensuring greater protection.

Duragen protects against the thermal stress that sperm can undergo. It is an ideal extender to produce doses by dilution in two steps.



VITASEM

VitaseM was our first high performance extender.

It represents a quantitative and qualitative leap compared to short and medium-term extenders. VitaseM's success is based on its formula, which:

- Protects sperm from changes in the environment.
- Includes anti-oxidants and membrane protectors.
- Has an antibiotic combination that ensures preservation of the doses.

VitaseM ensures correct preservation of the semen doses.



AVAILABLE
FORMATS

	CASE	BOX
1 litre	25 sachets	6 cases
5 litres	-----	60 sachets
100 litres	-----	3 sacks



PACKAGING
DIMENSIONS

	CASE	BOX
1 litre	11 x 28 x 12 cm - 1,2 Kg	39,5 x 23,5 x 30 cm - 8 Kg
5 litres	-----	39,5 x 23,5 x 30 cm - 14 Kg
100 litres	-----	39,5 x 23,5 x 30 cm - 14 Kg



**HIGH
PERFORMANCE
EXTENDERS**

OPTIMAL pH
6,9 - 7,5

STABILISATION TIME
15 - 20 min

OPTIMAL OSMOLALITY
290 - 320 (mOsm/Kg)

° BRIX
3,8 - 4,5

OPTIMIA Y BIOPIG

Magapor extenders for semen preservation



OPTIMIA

Biological solution with exclusive Magapor formula for preservation of semen. Its formulation boosts antibacterial and buffering capacity and consequently increases safety levels in the semen doses produced.

Manufactured under Magapor quality standards.



BIOPIG

Enhanced BTS extender with broad-spectrum antibiotic protection.

Manufactured under Magapor quality standards.

**OPTIMIA
BIOPIG**

OPTIMAL pH

6,9 - 7,5

STABILISATION TIME

15 - 20 min

OPTIMAL OSMOLALITY

325 - 350 (mOsm/Kg)

° BRIX

4,2 - 4,9



AVAILABLE
FORMATS

BOX

1 litre	200 sachets
5 litres	60 sachets
100 litres	3 sachets



PACKAGING
DIMENSIONS

BOX

1 litre	39,5 x 23,5 x 30 cm - 10,5 Kg
5 litres	39,5 x 23,5 x 30 cm - 15 Kg
100 litres	39,5 x 23,5 x 30 cm - 14,5 Kg



DICOL

Extender for semen collection

**EFFICIENT SOLUTION FOR
PREVENTING AND FIGHTING
CONTAMINATION**



Dicol is a **unique extender on the market** formulated by Magapor to resolve contamination problems.

It is used as a collection extender during the collection phase, which guarantees rapid sanitisation of the ejaculate and controls bacterial contamination, before final dilution with the usual Magapor extenders.



 Case: 10 x 28 x 12 cm 1,4 Kg
 Box: 39.5 x 23.5 x 30 cm 8 Kg

 Format for 1 litre
 25 envelopes x 6 cases

 **PRACTICAL
INNOVATION**

BOAR STUDS WITH CONTAMINATION ISSUES
HAVE BEEN ABLE TO CONTINUE WORKING WITH
GOOD PRODUCTIVE RESULTS ON THE FARM
THANKS TO THE USE OF DICOL

OPTIMAL pH	STABILISATION TIME
6,9 - 7,5	15 - 20 min
OPTIMAL OSMOLALITY	° BRIX
290 - 320 (mOsm/Kg)	3,8 - 4,5



EXTENDERBOX M2

Equipment for reconstituted extender preparation with no waiting time.

PROVIDES THE REQUIRED AMOUNT OF EXTENDER AT THE DESIRED TEMPERATURE, RECONSTITUTED PRECISELY AND WITH NO WAITING TIME

PRACTICAL INNOVATION



100 Kg
70 x 65 x 55 cm

120 Kg
80 x 60 x 90 cm

Equipment to prepare reconstituted extender instantly and at the required temperature, using the concept of concentrated extender.

It consists of two modules: one to heat the water instantaneously and the other with two independent pumps, controlled by two high-precision scales, which dispense the water and the concentrated extender to obtain the reconstituted extender.

Performance and productivity:

- High dispensing speed 240 Litres/h.
- It heats only the water needed immediately.

Precision:

- Exact dosage (+/- 1gr).
- Two high precision scales.
- High dispensing accuracy considering the density of each extender.

Safety and hygiene:

- Its closed circuit prevents the risk of water contamination.
- Made of stainless steel and fibreglass.

TECHNICAL CHARACTERISTICS



230 V - 50-60 Hz - 2000w
Maximum flow 4 L/min
Maximum scale capacity 20 Kg
Resolution +/- 2gr

Why use a concentrated extender?

- You get only the reconstituted extender you need.
- You can save unused concentrated extender.
- The preparation is much faster.
- Help system for the preparation of concentrated extender.

EXTENDERBOX

*Equipment for the preparation
of reconstituted extender*

 **PRACTICAL
INNOVATION**



CE

 SISTEMA
INTEGRADO
MAGAPOR

 100 Kg
70 x 65 x 55 cm

 120 Kg
80 x 60 x 90 cm

Performance and productivity:

- Heats only the water necessary.
- Constant flow of water and extender.
- Extender with a flow of 90 L/h.

Precision:

- Exact dosage (+/- 1gr).

Safety and hygiene:

- Its closed circuit prevents the risk of water contamination.

TECHNICAL CHARACTERISTICS



230 V - 50-60 Hz - 2500w
Maximum flow 1,5 L/min
Maximum scale capacity 12 Kg
Resolution +/- 1gr



NEXTEN 300

*Osmosis, dilution and dispensing equipment
for reconstituted extender*

THE WHOLE
DILUTION PROCESS
IN A SINGLE DEVICE

 **PRACTICAL
INNOVATION**



- › It completely manages the reconstituted extender manufacturing process from osmosis of the water to precise dispensing of the extender, controlling its conductivity and temperature.

Hygiene:

- Automatic cleaning of equipment.

Speed:

- Prepares 60 litres of dilution every 10 minutes.

Connectivity:

- Can be connected to the control PC for remote or in-situ operation.

Nexten 300 comes equipped with:

- Reverse osmosis equipment.
- Water tank (300 litres).
- Continuous flow heater.
- Dilution tank (60 litres).
- Probes (conductivity and water temperature).
- 3 Ultraviolet lamps.



E-DISPENSER

Maximum precision dosing equipment



- › Dispenses the required volume at high speed and very precisely thanks to the built-in high flow peristaltic pump and precision scales.

Connectivity.

Allows job data entry via:

- Touch screen.
- PC connected via Ethernet. Transmission of work orders via Gesipor 360.
- Bar code reading.



MAGAPOR
INTEGRATED
SYSTEM



29 Kg
40 x 37 x 29 cm



32 Kg
60 x 42 x 52 cm

TECHNICAL CHARACTERISTICS



50/60 Hz | 250W | 110/230 V
Nominal/max flow 10 L/
min (distilled water)
Maximum scales capacity
and resolution 20 kg +/- 2gr

EASYDIL

Tank for preparing reconstituted extender



- › Device designed for warming and mixing up to 100 L of extender.

- Made entirely from stainless steel.
- Features magnetic stirrer.
- PID type temperature controller for precise regulation with an error margin of less than +/- 0,5°.
- Orifices in the cover for filling and emptying the fluid.
- Low electricity consumption.



50 Kg
Ø 58 x h 75 cm



60 Kg
60 x 80 x 93 cm

TECHNICAL CHARACTERISTICS



230 V | 50/60 Hz
Nominal power 750W
Precision +/- 0,5°C
Stirrer speed 0-400 rpm
Warm-up time: 100 L 3-4 hours

OSMO6

Reverse osmosis equipment

Device that produces type II (ASTM) distilled water using drinking water from the public supply.

- Equipped with a reverse osmosis pump (from 240 L/day).
- Easily assembled housing for access to filters and their easy replacement.
- Instantaneous reading of conductivity at 3 points.
- Connection via RS232 serial port.
- Stainless steel tank with level sensor and ultraviolet lamp, from 100 litres (optional)
- Production monitoring via the Magapor APP.



OSMO6 uses a series of filters and elements that must be replaced regularly to obtain the highest quality of produced water:

- Granular activated carbon pretreatment cartridges.
- Resin cartridges.
- Amicrobic cartridge.
- Reverse osmosis membrane

The resistivity of the purified water produced is $\geq 5 \text{ M}\Omega\cdot\text{cm}$ at 25°C.

The water produced meets or exceeds ASTM, CAP, CLSI and ISO 3696/BS 3997 quality standards.

BM 20

Water bath

Thermostatic water bath to maintain a constant temperature of the ejaculate samples and laboratory instruments.

- Made entirely of stainless steel for better hygiene and durability.
- Capacity 20 litres.
- Digital temperature control, with a high precision regulator, accurate to 0.1°C.
- Temperature range, 25–40°C.





STERILIZATION OVEN

Different models.

80 to 140 litres



MAGNETIC STIRRER

Heated

5.5 kg
39 x 24 x 22 cm



DISTILLED WATER

Type 2 distilled water.

5L
4 x box



SEMEN DYES

For marking doses.

20 ml



JARS AND FLASK BAGS

For 3 and 5 L.



SAVOGERM

pH neutral soap.

5L
4 x box



GLOVES

Disposable vinyl or latex gloves.



100L BAG

100 litre disposable plastic bag.

BAGMATIC N40

Automatic packaging and labelling of semen doses, 1200 pcs/hour



> Maximum speed and precision in packaging:

- Packs 1200 pcs/hour.
- High dosing precision +/- 1g.

Software and connectivity:

- Auto-check function for rapid incident diagnosis.
- Can operate independently from a PC.

More intuitive:

- Large 10" high resolution touch screen and intuitive interface.
- Illumination system for clear and visual information of the equipment status.
- Works with low noise levels.


Robust, compact and easy to clean:

- Built from stainless steel and fibreglass.
- Labeller housed inside the device, accessible through a removable tray, which prevents splashing.

Easy use and maintenance:

- Low maintenance mechanics
- Equipped with a bag and liquid presence detector.
- Easier and faster threading system.
- Uses the first and last bag on the roll.
- Built-in fixed Teflon.

Operates with both **Semenbag** (up to 90 mL) and **Smallbag** (up to 45 mL)



TECHNICAL CHARACTERISTICS



110/230 V - 50/60 Hz - 200 W
Pneumatic pressure 6-8 bar

BAGMATIC

Automatic packaging and labelling of semen doses, 950 units/hour

 **FASTER**
MORE VERSATILE
MORE INTUITIVE



➤ **Quick and precise packaging:**

- Packs 950 units/hour.
- High dosing precision +/- 1 g.

Software and connectivity:

- Auto-check function for rapid incident diagnosis.
- Can operate independently from a PC.

Easy to clean:


- Built from stainless steel and anodized aluminium.
- Labeller housed inside the device, accessible through a removable tray, which prevents splashing.

Easy use and maintenance:

- Low maintenance mechanics.
- Equipped with a bag presence detector.
- Uses the first and last bag on the roll.

Operates with both **Semenbag** (up to 90 mL) and **Smallbag** (up to 45 mL)



 85 Kg
120 x 84 x 40 cm

 97 Kg
60 x 80 x 93 cm

TECHNICAL CHARACTERISTICS




110/230 V - 50/60 Hz - 200 W
Pneumatic pressure 6-8 bar



SIMPLYMATIC

*Automatic packaging of semen doses,
900 units/hour*

 SIMPLE AND INTUITIVE
SOLUTION FOR AUTOMATING
PACKAGING PROCESSES

 PRACTICAL
INNOVATION



CE

 50 Kg
120 x 65 x 35 cm

 64 Kg
60 x 80 x 93 cm

➤ Quick, simple and resistant:

- Robust construction in aluminium and stainless steel profiles that facilitate cleaning operations.
- Touch screen for interactive control and information on the status of the device.

TECHNICAL CHARACTERISTICS



110/230 V - 50/60 Hz - 180 W
Working pressure 6-8 bar
1250 bag roll

SIMPLYBAG

Simple packaging of semen doses



CE

 5 Kg
95 x 20 x 32 cm

 6 Kg
50 x 40 x 16 cm

- Sealed using manual clamp.
- Manual support for 6 blisters and blister roll.
- Aluminium structure.

SEMENBAG Y SMALLBAG

Semen dose packaging bags with reprotoxicity control (RTC)

THE BLISTER WITH RTC



Produced under the strictest of quality controls, Semenbag and Smallbag preserve their contents under the best conditions.

Packaging and formats developed for your comfort at the Boar Stud

- Automatic Semenbags and Smallbags come in rolls of 1250

units, saving you time when changing rolls.

- Exterior packaging designed to save space and be more practical when replacing the roll.



SEMENBAG AUTOMATIC

1 roll x 1250 units 6,5 Kg 41 x 41 x 30 cm



SMALLBAG AUTOMATIC

1 roll x 1250 units 6,5 Kg 41 x 41 x 30 cm



SEMENBAG MANUAL Precut

3 rolls x 500 units 9,3 Kg 60 x 40 x 28 cm



RTC

Reproductive Toxicity Control



RTC is a set of quality control tools that Magapor carries out at a chemical and biological level, in partnership with the University of Zaragoza, on its packaging to offer a "safe for reproduction" product.

This strict process guarantees a product controlled for the presence of Phthalates, Bisphenol A, Badge, Cyclic lactone and Nonylphenol that could develop reprotoxic effects by means of migration to the semen doses.




T-SEM

Real-time temperature control.



Device for monitoring, recording and processing the temperature of chambers, doses and facilities.



 105 x 65,5 x 19 mm

- Alarm system by sending an email when the device's temperature is out of range and when the battery status is low.
- Allows the display of the entire temperature history.
- Connection via NB-IoT mobile data card.
- Long-life rechargeable battery.

MAGAPOR APP

With the Magapor App you can:

- Perform all the configuration of the devices in a fast, simple and flexible way.
- Consult, filter, synchronize and download all temperature record information.
- Allow access to several users.
- Configure email addresses for alarms.
- Export data from your device in PDF or Excel.



SEMEN COOLERS

Equipment for preservation of semen doses, avoiding thermal shock and keeping doses in optimal condition.

- Temperature regulation with a neutral zone that reduces energy consumption and extends the compressor's life.
- Air recirculation for a perfectly balanced temperature.
- Thermostat with alarm.
- Temperature resolution 0.1°C.
- Interior temperature range 15-40°C.



Z-100

- Nominal volume: 130 Litres.
- Optimal Semenbag doses: 280
- Nominal power: 65 W

CE  27,5 Kg
57,5 x 56 x 84,5 cm  30 Kg
59,3 x 58 x 88 cm

Z-300

- Nominal volume: 241 Litres.
- Optimal Semenbag doses: 520
- Nominal power: 200 W

CE  48 Kg
56 x 62 x 125 cm  51 Kg
60 x 68 x 140 cm

Z-450

- Nominal volume: 344 Litres.
- Optimal Semenbag doses: 680
- Nominal power: 270 W



CE  70 Kg
60 x 74 x 185 cm  72 Kg
72 x 76 x 190 cm

COOL BOX

NT-30

- Peltier cell thermoelectric heating and cooling.
- Digital regulator with resolution 0.1°C
- Built-in neutral zone that reduces the power consumption of the box and extends its useful life.
- CFC-free cooling element.
- Nominal power: 75 / 65-80 W.
- Voltage: 220 VAC/12-24 DC.
- Frequency: 50/60 Hz.
- Consumption: 4 A.
- Nominal volume: 34 L
- Optimal Semenbag doses: 120





 10 Kg
54 x 36 x 46 cm
 11,2 Kg
58 x 40 x 49 cm

NT-110

- Heating and cooling by gas compression circuit.
- Digital regulator with resolution 0.1°C
- Built-in neutral zone that reduces the power consumption of the box and extends its useful life.
- CFC-free cooling element.
- Nominal power: 220/75 W.
- Voltage: 100-240 VAC/12-24 DC.
- Frequency: 50/60 Hz.
- Consumption: 10 A.
- Nominal volume: 95 Litres.
- Optimal Semenbag doses: 435.



 33 Kg
96 x 53 x 47 cm
 38 Kg
100 x 58 x 53 cm





DATALOGGER USB
Temperature reading and storage.

DATAPAD
For direct reading and configuration.



FOAM CATHETER

With/without adapter

 With adapter: 800 units/box
 Without adapter: 1000 units/box
 11 Kg
 40 x 60 x 46 cm



GILT FOAM CATHETER

 500 units/box
 7 Kg
 40 x 60 x 26 cm



YELLOW SPIRAL CATHETER

 1000 units/box
 18 Kg
 40 x 60 x 46 cm



ORANGE SPIRAL CATHETER

 1000 units/box
 20 Kg
 40 x 60 x 46 cm



iGREEN®
ecocatheter

iGREEN CATHETER

Ecocatheter

The first catheter with biodegradable tube for swine artificial insemination

 **PRACTICAL INNOVATION**

 500 units/box
 6 Kg
 40 x 80 x 35 cm

CATHETERS FOR POSTCERVICAL INSEMINATION

More than 20 years working in postcervical artificial insemination



MAGAXS




MAGAPLUS S

- Design and flexibility for easy insemination and harmless to the sow.



MAGAX




MAGAPLUS

- Use of a guiding catheter is not necessary.



MAGAXN




MAGAPLUS N

- Specific length and diameter for nulliparous sows.



MAGAXDD



MAGAPLUS DD

- Double deposition probe for deep intra-uterine insemination.



MAGASCAN

Wi-Fi ultrasound machine

- Depth: 100-180mm adjustable
- Transmission to mobile device (tablet or smartphone)
- Measurements of distance, area and obstetrics.
- Waterproof probe and tablet.
- High quality image.
- Includes 8" tablet and protective casing.
- With carry case.



2,7 Kg
45 x 40 x 12 cm

3 Kg
50 x 40 x 15 cm



FAT SCAN

Back fat scanner

- Measures mm thickness and dorsal fat layers by ultrasound.
- Measuring range: 4 to 40 mm.
- Display in M mode.
- Long working time, up to 22 hours.
- Includes calibration column and carrying case.

2,1 Kg
35 x 36 x 22 cm



RACCORD CATHETER

For auto-insemination

- Length: 490 mm



1000 units/box

AI GEL

Insemination lubricating gel



5 litres
4 units/box



HIGIPAL

Hygiene wipes



150 wipes/pack
24 packs/box



1000
wipes/tub



ULTRASOUND GEL

With dispenser



5 litres
4 units/box

BLUE LINE

New line of natural solutions



ESPERMAPLUS

Nutritional supplement exclusively for boars.

Specially designed to ensure an optimal supply of essential micronutrients, vitamins and amino acids necessary to maximize sperm production in boars.

25 kg
sack 40 x 12 x 70 / 25 kg

5 sacks of 1 kg per box
30 x 21 x 22 / 5,3 kg



PHEROBOAR

Boar pheromones

Set of synthetic pheromones for the detection and synchronization of oestrus in sows, improving fertility and reducing non-productive days. With blue dye to mark treated sows.

100 ml bottle (300 applications)

3 bottles pack
15 x 7,5 x 17,5 cm



VITALPIG

Complementary energizing feed for piglets

Boosts colostrum intake from the first moments of life, reducing pre-weaning mortality. It contains a highly bioavailable energy emulsion, vitamins and metabolic activators, essential for weak and stressed piglets.

250 ml bottle

6 bottles pack
19 x 13 x 14 cm / 1,7 kg



HYDROMAX

Oral rehydrating powder

Water-soluble rehydrating agent, without antibiotics, formulated with plant extracts. Suitable to nourish, rehydrate and treat intestinal problems. Especially indicated for weaned piglets.

1 kg sachet

MAGAPOR APP

The knowledge base is updated in real time for swine breeding professionals



Parameters

You can compare the main semen quality parameters of your boar stud with a database of more than 9000 boars, updated in real time

Surveys

Consult and comment on different swine reproduction issues, compared with answers from previous periods to see changes in trends and the different ways of working around the world

Publications

Access a library of technical publications on the most relevant topics influencing swine reproduction, constantly updated

and much more...

Anstant access to your extender batch validation reports, news, photos ... and all this in 18 languages!



Download it
now from the
App Store



Download it
now from
Google Play





Magapor S.L.

www.magapor.com

